

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/533,472	06/27/2005	Markus Leuenberger	9421	
60333	7590 11/30/2006		EXAMINER	
EDWIN D. SCHINDLER FIVE HIRSCH AVENUE			NICOLAS, FREDERICK C	
P.O. BOX 966 CORAM, NY 11727-0966			ART UNIT	PAPER NUMBER
			3754	

DATE MAILED: 11/30/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

		NÍ		
	Application No.	Applicant(s)		
Office Action Symmetry	10/533,472	LEUENBERGER ET AL.		
Office Action Summary	Examiner	Art Unit		
The MAN INC DATE And	Frederick C. Nicolas	3754		
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address		
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA Extensions of time may be available under the provisions of 37 CFR 1.11 after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period vortice and the second period for reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim will apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	lely filed the mailing date of this communication.		
Status				
1) Responsive to communication(s) filed on 27 Ju	ine 2005.			
_	_			
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is				
closed in accordance with the practice under E	x parte Quayle, 1935 C.D. 11, 45	3 O.G. 213.		
Disposition of Claims				
4) ☐ Claim(s) 10-18 is/are pending in the application 4a) Of the above claim(s) is/are withdraw 5) ☐ Claim(s) 10-18 is/are allowed. 6) ☐ Claim(s) is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or	vn from consideration.			
Application Papers				
9) The specification is objected to by the Examine 10) The drawing(s) filed on 27 June 2005 is/are: a) Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Ex	☐ accepted or b) ☐ objected to drawing(s) be held in abeyance. See ion is required if the drawing(s) is obj	e 37 CFR 1.85(a). ected to. See 37 CFR 1.121(d).		
Priority under 35 U.S.C. § 119				
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 				
Attachment(s)	_			
Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-948) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 6/27/2005.	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal Pa 6) Other:	te		

Application/Control Number: 10/533,472

Art Unit: 3754

DETAILED ACTION

Page 2

Preliminary Amendment

1. The preliminary amendment filed on 4/29/2005 has been entered.

2. This application is in condition for allowance except for the following formal matters:

Drawings

I- The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the claimed subject matter "a combipack" as recited in claim 10, line 2, must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner,

the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Claim Objections

II- Claims 12,15-17 are objected to because of the following informalities: claims 12,15-16 recite the limitation "the bulge" in line 6 of claim 12, in line 10 of claim 15 and in line 3 of claim 16 and claim 17 recites "said clearance" in line 2. There is insufficient antecedent basis for this limitation in the claim. Appropriate correction is required

Please note that the adjective "its" recited throughout claims 10-18 be changed to the proper claimed limitation.

Prosecution on the merits is closed in accordance with the practice under *Ex* parte Quayle, 1935 C.D. 11, 453 O.G. 213.

A shortened statutory period for reply to this action is set to expire **TWO**MONTHS from the mailing date of this letter.

Allowable Subject Matter

3. Claims 10-18 are allowed.

Conclusion

4. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Mabee 6,354,467, Farber 4,930,683, Taylor 7,028,863, Taylor 6,685,055, Duvander et al. 6,279,769, Baerenwald 6,257,449, Weiteder 6,041,968, Gabrielli et al. 6,216,945, Guillonnet 5,947,316 and Robichaud et al. 5,101,999 disclose other types of spout seal for a combipack.

Application/Control Number: 10/533,472

Art Unit: 3754

Page 4

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Frederick C. Nicolas whose telephone number is (571)-272-4931. The examiner can normally be reached on Monday - Friday from 9:00 AM to 5:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kevin P. Shaver, can be reached on 571-272-4720. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

FN

November 19, 2006

Frederick Ø. Nicolas Rrimary Examiner

Art Unit 3754